

# Standard Attachments

**Lanyards**

**Bead Chain**

**Sash Chain**

**Tenso Chain**

**Split Rings**

**Tabs**

**Hitch Pins (Hair Pins)**



## Lanyards

LANYARD P/N	LENGTH	TAB					WIRE SIZE, NYLON THICKNESS
		NUMBER OF TABS	PART NUMBER	HOLE SIZE	MATERIAL	TAB SHAPE	
4LYD	4"		NO TAB				1/16 COATED TO 1/8
4LYDT203	4"	1	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
4LYD2T203	4"	2	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
4LYDT281	4"	1	T281	0.281	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
6LYD	6"		NO TAB				1/16 COATED TO 1/8
6LYDT203	6"	1	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
6LYD2T203	6"	2	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
6LYDT281	6"	1	T281	0.281	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
6LYDT317	6"	1	T317	0.317	302/304 SS	TEAR DROP	1/16 COATED TO 1/8
6LYDT377	6"	1	T377	0.377	302/304 SS	TEAR DROP	1/16 COATED TO 1/8
6LYDT437	6"	1	T437	0.437	PLATED STEEL	RECTANGULAR	1/16 COATED TO 1/8
6LYDT530	6"	1	T530	0.53	PLATED STEEL	RECTANGULAR	1/16 COATED TO 1/8

## Lanyards

LANYARD P/N	LENGTH	TAB					WIRE SIZE, NYLON THICKNESS
		NUMBER OF TABS	PART NUMBER	HOLE SIZE	MATERIAL	TAB SHAPE	
6LLYD	6"		NO TAB				1/32 COATED TO 3/64
6LLYDT203	6"	1	T203	0.203	302/304 SS	RECTANGU- LAR	1/32 COATED TO 3/64
6LLYDT281	6"	1	T281	0.281	302/304 SS	RECTANGU- LAR	1/32 COATED TO 3/64
8LYD	8"		NO TAB				1/16 COATED TO 1/8
8LYDT203	8"	1	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
8LYD2T203	8"	2	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
8LYDT281	8"	1	T281	0.281	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
8LYDT530	8"	1	T530	0.53	PLATED STEEL	RECTANGU- LAR	1/16 COATED TO 1/8
8LLYD	8"		NO TAB				1/32 COATED TO 3/64
10LYD	10"		NO TAB				1/16 COATED TO 1/8
10LYDT203	10"	1	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
10LYD2T203	10"	2	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
10LYDT281	10"	1	T281	0.281	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
10LYDT530	10"	1	T530	0.53	PLATED STEEL	RECTANGU- LAR	1/16 COATED TO 1/8
10LYDT437	10"	1	T437	0.437	PLATED STEEL	RECTANGU- LAR	1/16 COATED TO 1/8
10LYDT687	10"	1	T687	0.687	PLATED STEEL	RECTANGU- LAR	1/16 COATED TO 1/8
12LYD	12"		NO TAB				1/16 COATED TO 1/8
12LYDT203	12"	1	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
12LYD2T203	12"	2	T203	0.203	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
12LYDT281	12"	1	T281	0.281	302/304 SS	RECTANGU- LAR	1/16 COATED TO 1/8
12LYDT437	12"	1	T437	0.437	PLATED STEEL	RECTANGU- LAR	1/16 COATED TO 1/8
12LLYD	12"		NO TAB				1/32 COATED TO 3/64
12LLYDT203	12"	1	T203	0.203	302/304 SS	RECTANGU- LAR	1/32 COATED TO 3/64
12LLYDT281	12"	1	T281	0.281	302/304 SS	RECTANGU- LAR	1/32 COATED TO 3/64

## Lanyards

LANYARD P/N	LENGTH	TAB				WIRE SIZE, NYLON THICKNESS	
		NUMBER OF TABS	PART NUMBER	HOLE SIZE	MATERIAL		TAB SHAPE
15LYD	15"		NO TAB				1/16 COATED TO 1/8
15LYDT281	15"	1	T281	0.281	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
18LYD	18"		NO TAB				1/16 COATED TO 1/8
18LYDT203	18"	1	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
18LYD2T203	18"	2	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
18LYDT281	18"	1	T281	0.281	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
24LYD	24"		NO TAB				1/16 COATED TO 1/8
24LYD2T203	24"	2	T203	0.203	302/304 SS	RECTANGULAR	1/16 COATED TO 1/8
24LYD2T377	24"	2	T377	0.377	302/304 SS	TEAR DROP	1/16 COATED TO 1/8

## Bead Chain

BEAD CHAIN-STOCK SIZES			
LENGTH (IN)	EYE TERMINALS		
3	5/32	X	3/16
3	3/16	X	3/16
3	3/16	X	1/4
4	5/32	X	3/16
4	3/16	X	3/16
6	5/32	X	3/16
6	3/16	X	3/16
6	3/16	X	1/4
8	3/16	X	3/16
8	3/16	X	1/4
12	3/16	X	3/16
12	3/16	X	1/4
18	3/16	X	3/16
TRADE SIZE #10. BALL DIAMETER 3/16". LENGTH MEASURE CENTER OF TERMINAL TO CENTER OF TERMINAL.			
NOTE: ALL COMPONENTS ARE MADE FROM 304 STAINLESS STEEL EXCEPT THE 1/4" TERMINAL WHICH IS NICKEL PLATED BRASS.			

## Sash Chain

SASH CHAINS		
LENGTH (IN)	STOCKED MATERIALS	
	ZINC PLATED	STAINLESS
4	X	
5	X	
6	X	X
7	X	
8	X	X
10	X	
12	X	X
16	X	
18	X	X
TRADE SIZE# 8. MATERIAL THICKNESS .035		
LOW CARBON STEEL OR 304 STAINLESS STEEL.		

## Tenso Chain

TENSO CHAIN STOCK LENGTHS (IN)
4
6
8
12
TRADE SIZE #4, WIRE Ø.072, MATERIAL: 1008 STEEL, ZINC PLATED

## Split Rings

SPLIT RINGS-STOCK SIZES					
SIZE (∅)	PART NUMBER		WIRE ∅	ID	OD
	PLATED STEEL	STAINLESS			
1/2	R.5	R.5-SS	0.045	0.455	0.545
5/8	R.625	R.625-SS	0.055	0.467	0.683
3/4	R.75	R.75-SS	0.070	0.680	0.820
7/8	R.875	R.875-SS	0.070	0.805	0.945
1	R1	R1-SS	0.070	0.930	1.070
1 1/4	R1.25	R1.25-SS	0.090	1.160	1.340
1 1/2	R1.5	R1.5-SS	0.105	1.395	1.605
2	R2	R2-SS	0.120	1.880	2.120
2 1/2	R2.5	R2.5-SS	0.155	2.345	2.655
3	R3	R3-SS	0.155	2.845	3.155
4	R4	R4-SS	0.155	3.845	4.155

1-3/4 TURN SPLIT RINGS. SIZE IS MEASURED BY DIAMETER CENTER OF WIRE TO CENTER OF WIRE. AVAILABLE IN ZINC PLATED HARD DRAWN WIRE AND 300 SERIES STAINLESS STEEL.

## Tabs

AVAILABLE TABS			
P/N	MATERIAL	HOLE ∅	SHAPE
T217	302 STAINLESS	0.217	TEARDROP
T281	302/304 SS	0.281	RECTANGULAR
T317	302/304 SS	0.317	TEARDROP
T377	302/304 SS	0.377	TEARDROP
T437	PLATED STEEL	0.437	RECTANGULAR
T530	PLATED STEEL	0.530	RECTANGULAR
T625	PLATED STEEL	0.625	RECTANGULAR
T687	PLATED STEEL	0.677	RECTANGULAR

## Hitch Pins

HITCH (HAIR PIN) CLIPS				
PART NUMBER		WIRE DIAMETER	OVERALL LENGTH	EYE DIAMETER
PLATED STEEL	STAINLESS			
HC-2	HC-2SS	0.080	1 3/16	1/4
HC-3	HC-3SS	0.094	1 5/8	5/16
HC-4	HC-4SS	0.125	1 15/16	7/16
HC-5	HC-5SS	0.177	3 1/4	7/8

“USED ON PINS WITH HOLE INSTEAD OF DETENT BALL.  
SIZES STOCKED IN ZINC PLATED STEEL AND 300 SERIES STAINLESS STEEL”